

# 2.5 Amp Connector, 3 Conductor

## 3 Conductor 250v Intl cord sets with 2.5 Amp connectors - EN60320

**Female Plug:** EN60320/C-5 2.5A/250V  
**Colors:** white, light and dark grey, black  
**Length:** any length available

**Approvals:** ENEC  
**Color Code:** brown, blue, green/yellow  
**Termination:** per your specs



Part No.	Material	Conductors	App. Dia.	Rating	Int'l Cord Specs
OOTB-1307	PVC	3 x 0.75mm <sup>2</sup>	5.6 mm	2.5A/250V	H03VV-F3G x 0.75
OOTB-1308	PVC	3 x 0.75mm <sup>2</sup>	6.4 mm	2.5A/250V	H05VV-F3G x 0.75

### DETACHABLE CORD SETS

**Female Plug:** CEE 7/7 16A/250V  
**Colors:** white, light and dark grey, black  
**Length:** any length available

**Male Plug Approvals:** VDE, CB Certificate  
**Connector Approvals:** ENEC  
**Color Code:** brown, blue, green/yellow



Part No.	Material	Conductors	App. Dia.	Rating	Int'l Cord Specs
AATB-1307	PVC	3 x 0.75mm <sup>2</sup>	5.6 mm	2.5A/250V	H03VV-F3G x 0.75
AATB-1308	PVC	3 x 0.75mm <sup>2</sup>	6.4 mm	2.5A/250V	H05VV-F3G x 0.75

**Female Plug:** CEE 7/7 16A/250V  
**Colors:** white, light and dark grey, black  
**Length:** any length available

**Male Plug Approvals:** VDE, CB Certificate  
**Connector Approvals:** ENEC  
**Color Code:** brown, blue, green/yellow




Part No.	Material	Conductors	App. Dia.	Rating	Int'l Cord Specs
GGTB-1307	PVC	3 x 0.75mm <sup>2</sup>	5.6 mm	2.5A/250V	H03VV-F3G x 0.75
GGTB-1308	PVC	3 x 0.75mm <sup>2</sup>	6.4 mm	2.5A/250V	H05VV-F3G x 0.75

## AVAILABLE FUSES: 3A, 5A, 10A & 13A

**Female Plug:** BS 1363/A 13A/250V, fused  
**Colors:** white, light and dark grey, black  
**Length:** any length available


**Male Plug Approvals:** BSI  
**Connector Approvals:** ENEC  
**Color Code:** brown, blue, green/yellow



Part No.	Material	Conductors	App. Dia.	Rating	Int'l Cord Specs
EETB-1307	PVC	3 x 0.75mm <sup>2</sup>	5.6 mm	2.5A/250V	H03VV-F3G x 0.75
EETB-1308	PVC	3 x 0.75mm <sup>2</sup>	6.4 mm	2.5A/250V	H05VV-F3G x 0.75

**Female Plug:** AS 3112-2004, 7.5A/250V  
**Colors:** white, light and dark grey, black  
**Length:** any length available


**Male Plug Approvals:** NSW / Fair Trading  
**Connector Approvals:** ENEC  
**Color Code:** brown, blue, green/yellow



Part No.	Material	Conductors	App. Dia.	Rating	Int'l Cord Specs
FFTB-1307	PVC	3 x 0.75mm <sup>2</sup>	5.6 mm	2.5A/250V	H03VV-F3G x 0.75
FFTB-1308	PVC	3 x 0.75mm <sup>2</sup>	6.4 mm	2.5A/250V	H05VV-F3G x 0.75

**Female Plug:** 10A/250V CEI-50:2007  
**Colors:** white, light and dark grey, black  
**Length:** any length available

**Male Plug Approvals:** IMQ  
**Connector Approvals:** ENEC  
**Color Code:** brown, blue, green/yellow




Part No.	Material	Conductors	App. Dia.	Rating	Int'l Cord Specs
IITB-1307	PVC	3 x 0.75mm <sup>2</sup>	5.6 mm	2.5A/250V	H03VV-F3G x 0.75
IITB-1308	PVC	3 x 0.75mm <sup>2</sup>	6.4 mm	2.5A/250V	H05VV-F3G x 0.75

## 2.5 Amp Connector, 3 Conductor

**Female Plug:** ASEV 1011:2009 (Type 12, sheet 6534-2:2009) 10A/250V  
**Colors:** white, light and dark grey, black  
**Length:** any length available


**Male Plug Approvals:** SEV  
**Connector Approvals:** ENEC  
**Color Code:** brown, blue, green/yellow



Part No.	Material	Conductors	App. Dia.	Rating	Int'l Cord Specs
JJTB-1307	PVC	3 x 0.75mm <sup>2</sup>	5.6 mm	2.5A/250V	H03VV-F3G x 0.75
JJTB-1308	PVC	3 x 0.75mm <sup>2</sup>	6.4 mm	2.5A/250V	H05VV-F3G x 0.75

**Male Plug:** Type Afsnit 107-2-01 10A/250V  
**Colors:** white, light and dark grey, black  
**Length:** any length available

**Connector Approvals:** ENEC  
**Color Code:** brown, blue, green/yellow



Part No.	Material	Conductors	App. Dia.	Rating	Int'l Cord Specs
KKTB-1307	PVC	3 x 0.75mm <sup>2</sup>	5.6 mm	2.5A/250V	H03VV-F3G x 0.75
KKTB-1308	PVC	3 x 0.75mm <sup>2</sup>	6.4 mm	2.5A/250V	H05VV-F3G x 0.75

**Female Plug:** Male Plug: Type Afsnit 107-2-01 10A/250V  
**Colors:** white, light and dark grey, black  
**Length:** any length available

**Connector Approvals:** ENEC  
**Color Code:** brown, blue, green/yellow




Part No.	Material	Conductors	App. Dia.	Rating	Int'l Cord Specs
LLTB-1307	PVC	3 x 0.75mm <sup>2</sup>	5.6 mm	2.5A/250V	H03VV-F3G x 0.75
LLTB-1308	PVC	3 x 0.75mm <sup>2</sup>	6.4 mm	2.5A/250V	H05VV-F3G x 0.75

# 2.5 Amp Connector, 3 Conductor

**Female Plug:** Male Plug: Type Afsnit 107-2-01 10A/250V  
**Colors:** white, light and dark grey, black  
**Length:** any length available


**Connector Approvals:** ENEC  
**Color Code:** brown, blue, green/yellow



Part No.	Material	Conductors	App. Dia.	Rating	Int'l Cord Specs
MMTB-1307	PVC	3 x 0.75mm <sup>2</sup>	5.6 mm	2.5A/250V	H03VV-F3G x 0.75
MMTB-1308	PVC	3 x 0.75mm <sup>2</sup>	6.4 mm	2.5A/250V	H05VV-F3G x 0.75

**Female Plug:** Type IRAM 2073: 2009 10A/250V  
**Colors:** white, light and dark grey, black  
**Length:** any length available


**Connector Approvals:** ENEC  
**Color Code:** brown, blue, green/yellow



Part No.	Material	Conductors	App. Dia.	Rating	Int'l Cord Specs
RRTB-1307	PVC	3 x 0.75mm <sup>2</sup>	5.6 mm	2.5A/250V	H03VV-F3G x 0.75
RRTB-1308	PVC	3 x 0.75mm <sup>2</sup>	6.4 mm	2.5A/250V	H05VV-F3G x 0.75

**Female Plug:** IEC 320/C 14  
**Colors:** white, light and dark grey, black  
**Length:** any length available

**Male Plug Approvals:** ENEC  
**Connector Approvals:** ENEC  
**Color Code:** brown, blue, green/yellow




Part No.	Material	Conductors	App. Dia.	Rating	Int'l Cord Specs
RRTB-1307	PVC	3 x 0.75mm <sup>2</sup>	5.6 mm	2.5A/250V	H03VV-F3G x 0.75
RRTB-1308	PVC	3 x 0.75mm <sup>2</sup>	6.4 mm	2.5A/250V	H05VV-F3G x 0.75

# 2.5 Amp Connector, 3 Conductor

**Female Plug:** IEC 320/C 14  
**Colors:** white, light and dark grey, black  
**Length:** any length available

**Male Plug Approvals:** ENEC  
**Connector Approvals:** ENEC  
**Color Code:** brown, blue, green/yellow



Part No.	Material	Conductors	App. Dia.	Rating	Int'l Cord Specs
HSTB-1308	PVC	3 x 0.75mm <sup>2</sup>	6.4 mm	2.5A/250V	H05VV-F3G x 0.75

**Female Plug:** IEC 320/C 14  
**Colors:** white, light and dark grey, black  
**Length:** any length available

**Male Plug Approvals:** ENEC  
**Connector Approvals:** ENEC  
**Color Code:** brown, blue, green/yellow



Part No.	Material	Conductors	App. Dia.	Rating	Int'l Cord Specs
HLTB-1308	PVC	3 x 0.75mm <sup>2</sup>	6.4 mm	2.5A/250V	H05VV-F3G x 0.75

**For Use in:** Argentina, Israel, South Africa, Denmark, Switzerland, Italy, Australia, Great Britain, Continental Europe